

Technical Standard

TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	STANDARD PRESCRIBED VALUES	NEXT-GEN VALUES
MEASUREMENT AND SURFACE APPEARANCE			
LENGTH	EN ISO 10545-2	±0.6%	±0.1%
WIDTH	EN ISO 10545-2	±0.6%	±0.1%
THICKNESS	EN ISO 10545-2	±5%	±3%
TRANSMUTATION	EN ISO 10545-2	±0.5%	±0.2%
PHYSICAL PROPERTIES			
WATER ABSORPTION	EN ISO 10545-3	≤0.5%	≤0.5%
BREAKING STRENGTH	EN ISO 10545-4	≥1300N	≥1300N
MODULUS OF RUPTURE	EN ISO 10545-4	≥35N/mm ²	≥35N/mm ²
RESISTANCE TO ABRASION	EN ISO 10545-6	≤205mm ³	≤160mm ³
THERMAL EXPANSION COEFFICIENT	EN ISO 10545-8	≤9MK-1	≤7MK-1
TEMPERATURE SHOCK RESISTANCE	EN ISO 10545-9	NO DEFECTS SHOULD BE VISIBLE	DURABLE
FROST RESISTANCE	EN ISO 10545-12	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE	ANTI-ICE
CHEMICAL PROPERTIES			
CHEMICAL RESISTANCE RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS	EN ISO 10545-13	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	DURABLE
RESISTANCE TO STAINING	EN ISO 10545-14 when subjected to chemicals	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	NO VISIBLE DEFECTS



Packing Details

SERIES	Sizes	Pcs/Ctn	M ² /Ctn	M ² /Plt	Ctns/Plt	Kg/Plt
MARBLE	60x60-24'x24'	4	1.44	57.6	40	1280
	45x90-18'x36'	4	1.62	64.8	40	1520
	60x120-24'x48'	2	1.44	74.88/43.2	52/30	1768/1020

SHADE VARIATION	V2	Uniform appearance V1	Slight variation V2	Moderate variation V3	Substantial variation V4
-----------------	----	-----------------------	---------------------	-----------------------	--------------------------



NEXT-GEN INTERNATIONAL CO.,LTD

Address : Units 705-706, Block 5 Green Lagoon International Center, No.133 Jihua West Road, Chancheng, Foshan, Guangdong, China 528000

Tel: +86-757-82367760

Fax: +86-757-82521171

Mobile: 139-2993-5503

139-2995-8028

Email: doreen@fsmissippi.com

sales@fsmissippi.com





MARBLE




MAR 823M/G (Soft-matt/Polished)

60x60cm-24"x24"
45x90cm-18"x36"
60x120cm-24"x48"



MARBLE



MAR 822M/G (Soft-matt/Polished)


60x60cm-24"x24"
45x90cm-18"x36"
60x120cm-24"x48"



Floor: MAR 821M 60x120cm-24"x48"




Floor: MAR 821M 60x120cm-24"x48"
Wall: MAR 821G 60x120cm-24"x48"



MAR 820B (Slab)
60x120cm-24'x48'

MAR 820L (Sticks)
60x120cm-24'x48'



MAR 820M/G (Soft-matt/Polished)
45x90cm-18'x36'
60x120cm-24'x48'



MAR 820M/G (Soft-matt/Polished)
60x60cm-24'x24'
45x90cm-18'x36'
60x120cm-24'x48'



MAR 821B (Slab)
60x120cm-24'x48'

MAR 821L (Sticks)
60x120cm-24'x48'



MAR 821M/G (Soft-matt/Polished)
45x90cm-18'x36'
60x120cm-24'x48'



MAR 821M/G (Soft-matt/Polished)
60x60cm-24'x24'
45x90cm-18'x36'
60x120cm-24'x48'